



THE WIDEST SELECTION OF CASES IN THE WORLD.



In the beginning, a wooden crate fell apart. And then a corrugated box got wet. To make things worse, overweight metal cases showed up with sheared-off handles. That's when Pelican-Hardigg Cases arrived, manufactured from polyethylene.

Durable and waterproof, with recessed handles and integrated stacking ribs. The year was 1969, and we've been adding new sizes and perfecting Pelican-Hardigg Cases ever since.

Why Rotational Molding?

The advantages of rotational mold manufacturing are significant. Following are a few prime reasons:

More material in the corners.

A Pelican-Hardigg Single Lid Case begins as resin powder that is measured and loaded into a mold attached to a biaxial arm. As the mold rotates, it is heated and 15%-20% more resin accumulates in the corners and edges. When the case is dropped (and it will be) it has extra strength where it is needed.

Recessed hardware, columnar ribs. Recessed handles, latches and hinges prevents them from being sheared off during transport. Ribs are molded in to create incredibly strong forms from lightweight material. Cases of like sizes have matching top and bottom ribs, so they won't shift when stacked.

Watertight tongue and groove seal. Keep your gear dry and dust-free in the harshest environments.

Anti Shear locks. Molded, interlocking blocks are matched around the rim of the case. When the case takes an impact, the lid stays aligned to the base.

Bells and whistles. With accessories and custom services from our Advanced Case Centers, a Pelican-Hardigg Case can be a lot more than a box. Next we'll share some important options.

Selecting case hardware- it's all about you.

Getting your equipment safely from point A to point B is paramount. To move your case around you might need wheels, or if the load is extreme we can install forklift spacers and a bash-plate. We can also help you with technical choices, such as standard or mil-spec purge valves (prevents vacuum lock in the event of altitude change). The list goes on: from handles and latches to desiccant chambers for removing humidity from the case. You'll find an overview of common accessories on page 25.



Planned protection: custom foam awaits fragile equipment.

Hard protection systems.

When foam is not appropriate, Pelican specializes in custom metal work. Cradles or frames hold sensitive parts away from the walls of the case. The area between the frame and the case is the "sway space", and dampeners are used to isolate the part from shock and vibration. Dampeners can be mounted foam bumpers, or elastomeric shock mounts that can mitigate impacts up to 15 G forces.

Testing... 1-2-3.

The time to find out if your equipment is going to arrive intact is before it ships. That's why we have a full service test lab to verify survivability. As a matter of fact, Pelican operates one of the few certified test labs in the country. Drop tests, immersion, temperature extremes, G-force and vibration: we do it all to prove our cases perform to your specifications

We've got you covered.

Whether you need one empty case or a run of engineered cases for an extreme application, Pelican has the right size and the right team to get it done. In addition to our primary manufacturing facilities in the USA and Europe, there's a regional Advanced Case Center near you ready to help. Just call 1-800-542-7344 and we'll get you the right case for the job.




Shake it up: Rubber shock mounts keep equipment stable.



Extreme case work: Engineered cradles for secure transport.

> SINGLE LID CASE FEATURES



MOLDED-IN STACKING RIBS • A
 Secure Non-Slip Stacking on Matched Size Cases

COMFORT GRIP HANDLES • B
 A Pelican-Hardigg Patented Feature, Heavy-Duty, Spring Loaded to Lay Flat

PATENTED MOLDED-IN METAL INSERTS • C
 Catch and Hinge Attachment Points, Designed to Distribute Load to Case Walls

RECESSED HARDWARE • D
 Hardware Protected from Impact Snag Free Transport

DOUBLE WALLED RIM FOR TONGUE-IN-GROOVE SEAL • E
 Remains Sealed After Impact Splash and Rain Resistant Air and Watertight Options

POSITIVE ANTI-SHEAR LOCKS • F
 Prevent Lid Separation Upon Impact Minimize Hardware Stress

REINFORCED CORNERS AND EDGES • G
 15% to 20% Thicker Corners and Edges for Added Impact Protection

CERTIFICATIONS AND APPROVALS*:

AIR TRANSPORT ASSOC.: Spec 300 Category 1
 IP67: Water resistance and dust ingress
 MIL-SPEC: Test reports available to certify military standards

*actual approvals vary by case design

LONG CASES - 28 SIZES



SMALLEST 26.87" x 8.62" x 7.81" (68.2 x 21.9 x 19.8 cm)	LARGEST 94.00" x 57.00" x 50.00" (258.5 x 101.3 x 118.8 cm)
--	--

Catalog No.	INTERIOR DIMENSIONS L x W x D	EXTERIOR DIMENSIONS L x W x D	BASE DEPTH	LID DEPTH	LID TYPE	WEIGHT	SHIP
AL13115-0805FT	131.00" x 15.00" x 13.25" (332.6 x 38.1 x 33.6 cm)	134.00" x 18.00" x 17.97" (340.2 x 45.7 x 45.6 cm)	8.25" (20.9 cm)	5.00" (12.7 cm)	Hinged Lid	97 lbs. (44 kg)	FRT
AL2909-0605	28.50" x 8.50" x 11.25" (72.4 x 21.6 x 28.6 cm)	31.50" x 11.50" x 12.94" (80 x 29.2 x 32.9 cm)	6.00" (15.2 cm)	5.25" (13.3 cm)	Hinged Lid	15.9 lbs. (7.21 kg)	UPS
AL3418-0505	34.18" x 17.87" x 10.50" (86.8 x 45.4 x 26.7 cm)	37.18" x 20.87" x 12.44" (94.4 x 53 x 31.6 cm)	5.25" (13.3 cm)	5.25" (13.3 cm)	Removable Lid	27 lbs. (12.25 kg)	UPS
AL4018-1003	40.00" x 18.00" x 13.19" (101.6 x 45.7 x 33.5 cm)	43.00" x 21.00" x 14.75" (109.2 x 53.3 x 37.5 cm)	10.19" (25.9 cm)	3.00" (7.6 cm)	Hinged Lid	36 lbs. (16.33 kg)	UPS
AL4119-0704	40.58" x 19.10" x 11.60" (103 x 48.5 x 29.5 cm)	43.70" x 22.10" x 12.80" (111 x 56.1 x 32.5 cm)	7.13" (18.1 cm)	4.50" (11.4 cm)	Hinged Lid	32 lbs. (14.51 kg)	FRT
AL4714-0403	46.87" x 14.06" x 7.00" (119 x 35.7 x 17.8 cm)	49.87" x 17.06" x 8.69" (126.6 x 43.3 x 22.1 cm)	4.00" (10.2 cm)	3.00" (7.6 cm)	Hinged Lid	26.4 lbs. (11.97 kg)	UPS
AL4714-0405	46.87" x 14.06" x 9.25" (119 x 35.7 x 23.5 cm)	49.87" x 17.06" x 10.94" (126.6 x 43.3 x 27.8 cm)	4.00" (10.2 cm)	5.25" (13.3 cm)	Removable Lid	27.1 lbs. (12.29 kg)	UPS
AL4714-0503	46.87" x 14.06" x 8.25" (119 x 35.7 x 20.9 cm)	49.87" x 17.06" x 9.94" (126.6 x 43.3 x 25.2 cm)	5.25" (13.3 cm)	3.00" (7.6 cm)	Hinged Lid	27.5 lbs. (12.47 kg)	UPS
AL4714-0505	46.87" x 14.06" x 10.50" (119 x 35.7 x 26.7 cm)	49.87" x 17.06" x 12.19" (126.6 x 43.3 x 31 cm)	5.25" (13.3 cm)	5.25" (13.3 cm)	Removable Lid	29.5 lbs. (13.38 kg)	UPS
AL4915-1105	49.00" x 14.81" x 16.25" (124.4 x 37.6 x 41.3 cm)	52.00" x 17.81" x 18.44" (132 x 45.2 x 46.8 cm)	11.00" (27.9 cm)	5.25" (13.3 cm)	Hinged Lid	40 lbs. (18.14 kg)	UPS
AL5616-0604	56.43" x 16.25" x 10.07" (143.3 x 41.3 x 25.6 cm)	59.43" x 19.25" x 12.76" (150.9 x 48.9 x 32.4 cm)	5.87" (14.9 cm)	4.20" (10.7 cm)	Hinged Lid	42.4 lbs. (19.23 kg)	FRT
AL5910-0604	59.06" x 9.91" x 10.30" (150 x 25.2 x 26.2 cm)	62.06" x 12.91" x 12.25" (157.6 x 32.8 x 31.1 cm)	6.18" (15.7 cm)	4.12" (10.5 cm)	Hinged Lid	31.6 lbs. (14.33 kg)	UPS
AL6815-1005	68.00" x 15.25" x 15.32" (172.7 x 38.7 x 38.9 cm)	71.00" x 18.25" x 17.13" (180.3 x 46.3 x 43.5 cm)	10.12" (25.7 cm)	5.20" (13.2 cm)	Hinged Lid	58.5 lbs. (26.54 kg)	FRT
AL6912-1003	69.37" x 12.00" x 14.09" (176.1 x 30.5 x 35.8 cm)	72.37" x 15.00" x 16.28" (183.7 x 38.1 x 41.3 cm)	10.49" (26.6 cm)	3.60" (9.1 cm)	Hinged Lid	42 lbs. (19.05 kg)	FRT
AL7007-0403AC	70.25" x 7.00" x 7.00" (178.4 x 17.8 x 17.8 cm)	73.25" x 10.00" x 9.75" (186 x 25.4 x 24.8 cm)	4.00" (10.2 cm)	3.00" (7.6 cm)	Hinged Lid	30 lbs. (13.61 kg)	UPS
AL7819-0805	78.87" x 19.43" x 13.28" (200.3 x 49.3 x 33.7 cm)	80.75" x 22.43" x 14.97" (205 x 56.9 x 38 cm)	8.25" (20.9 cm)	5.03" (12.8 cm)	Hinged Lid	60.8 lbs. (27.58 kg)	FRT
AL7819-0808	78.87" x 19.43" x 16.28" (200.3 x 49.3 x 41.3 cm)	80.75" x 22.43" x 17.97" (205 x 56.9 x 45.6 cm)	8.25" (20.9 cm)	8.03" (20.4 cm)	Removable Lid	61.8 lbs. (28.03 kg)	FRT
BL11433-0527AC	114.00" x 33.00" x 32.62" (289.4 x 83.8 x 82.8 cm)	118.00" x 37.00" x 34.31" (299.6 x 93.9 x 87.1 cm)	5.38" (13.7 cm)	27.25" (69.2 cm)	Removable Lid	210 lbs. (95.25 kg)	FRT
BL8232-0705AC	81.87" x 31.93" x 12.37" (207.9 x 81.1 x 31.4 cm)	85.87" x 35.93" x 16.81" (218 x 91.2 x 42.7 cm)	7.25" (18.4 cm)	5.12" (13 cm)	Removable Lid	122.3 lbs. (55.47 kg)	FRT
BL8232-0905AC	81.87" x 31.93" x 14.12" (207.9 x 81.1 x 35.9 cm)	85.87" x 35.93" x 18.56" (218 x 91.2 x 47.1 cm)	9.00" (22.9 cm)	5.12" (13 cm)	Removable Lid	128 lbs. (58.06 kg)	FRT
BL8240-1623FT-AC	81.75" x 40.00" x 38.87" (207.6 x 101.6 x 98.7 cm)	85.75" x 44.00" x 48.06" (217.7 x 111.7 x 122 cm)	16.12" (40.9 cm)	22.75" (57.8 cm)	Removable Lid	229.2 lbs. (103.96 kg)	FRT
BL8537-2906	85.23" x 37.73" x 35.23" (216.4 x 95.8 x 89.4 cm)	89.23" x 41.73" x 39.60" (226.6 x 106 x 100.5 cm)	29.19" (74.1 cm)	6.04" (15.3 cm)	Removable Lid	190 lbs. (86.18 kg)	FRT
BL9024-1113FT-AC	91.00" x 24.19" x 24.94" (231 x 61.4 x 63.3 cm)	95.00" x 28.19" x 33.26" (241.2 x 71.6 x 84.4 cm)	11.60" (29.5 cm)	13.34" (33.9 cm)	Removable Lid	147.2 lbs. (66.77 kg)	FRT
BL9053-1035AC	90.00" x 53.00" x 45.50" (228.5 x 134.6 x 115.5 cm)	94.00" x 57.00" x 50.00" (238.7 x 144.7 x 127 cm)	10.25" (26 cm)	35.25" (89.5 cm)	Removable Lid	278 lbs. (126.1 kg)	FRT
BL9836-1105AC	97.80" x 35.90" x 16.10" (248.3 x 91.2 x 40.9 cm)	101.80" x 39.90" x 20.79" (258.5 x 101.3 x 52.8 cm)	11.00" (27.9 cm)	5.10" (12.9 cm)	Removable Lid	190 lbs. (86.18 kg)	FRT
BL9836-3705AC	97.80" x 35.90" x 42.10" (248.3 x 91.2 x 106.9 cm)	101.80" x 39.90" x 46.79" (258.5 x 101.3 x 118.8 cm)	37.00" (93.9 cm)	5.10" (12.9 cm)	Removable Lid	242 lbs. (109.77 kg)	FRT
CL2406-0303	24.75" x 6.62" x 6.12" (62.8 x 16.8 x 15.5 cm)	26.87" x 8.62" x 7.81" (68.2 x 21.9 x 19.8 cm)	3.06" (7.8 cm)	3.06" (7.8 cm)	Removable Lid	6.6 lbs. (2.99 kg)	UPS
CL2407-0404	24.75" x 7.50" x 6.86" (62.8 x 19 x 17.4 cm)	26.87" x 9.50" x 8.55" (68.2 x 24.1 x 21.7 cm)	3.50" (8.9 cm)	3.36" (8.5 cm)	Removable Lid	8.8 lbs. (3.99 kg)	UPS

ACCESSORIES

Airtight/Watertight	Card Holder	Casters	Edge Casters	Extra Handles
Grab 'N Roll™	Grab 'N Roll™ Combination Lock	FlangeMount™ Cases	Forklift Bash Plates	Forklift Provision, Skid Runners
Front Labels	Hardware Stainless Steel	Hardware Stainless Steel Black Passivated Finish	Hinged Lid	Lockable Cable Catch
Lockable Padlock Hasp	Custom Stenciling	Humidity Indicator	ID Plate	Standard Labels
Lifting Rings/Tie Down Rings	Breather Valve Desiccant			

> OPTIONAL COLORS FOR ALL SINGLE LID CASES						
Gray - 133 Fed Std# 26270	Tan - 250 Fed Std# 20372	Blue - 135(lt) Pantone# 292U	White - 132 Fed Std# 27925	Yellow - 136 Pantone# 012U	Green - 138(forest) Fed Std# 24052	Orange - 134 Fed Std# 12197
Yellow - 131 Fed Std# 23538	Maroon - 197 Pantone# 202U	Blue - 101(dk) Fed Std# 25052	Black - 032 Fed Std# 27040	Red - 130 Fed Std# 21105	Olive Drab - 137 Fed Std# 34096	Purple - 129 Pantone# 245U

Note: Some options are not available on all case sizes and availability is subject to change at manufacturer's discretion. Case colors/options may differ slightly from printed versions.